

PERFECT TIMBER FLOORS®

BEAUTIFUL . FUNCTIONAL. FLOORING.

Get ready to select your new floor from Australia's most innovative and contemporary timber flooring range.

CONTENTS

About Us 4

Laminate
Trendline 6

Water Resistant Laminate
Coastal 8
Aquatic 10
Euro Wide-Board 12
Australiana Wide-Board 14

Hybrid
Firm Plank Hybrid 16

Engineered Timber
Urban 18
Oak Classic 20
Australian Species 22
Vintage 24
Majestic 26

Tempo①②③ 28

Tempo Premium Wide-Board
Australian Species 30
French Oak 32

Tempo Premium Parquetry
Single Herringbone 35
Double Herringbone 35
Chevron 35

Showroom Appointments 36

Trusted Installation 38

Installation Types 40

Acoustic Underlay 42

Caring For Your Floor 44

Board Sizes 46

Glossary 46



Tempo Premium in Chevron Parquetry, Natural with Matt Finish

ABOUT US

Discover Perfect Timber Floors.
Uniting quality, style and innovation to enhance today's modern lifestyle. Suited to Australia's unique climate, our diverse range of timber flooring solutions are hard-wearing and timeless, with good looks to match. We offer a superior product that modernises and stylises any interior. Knowledge, passion and client satisfaction are what drives us. Our dedicated design specialists are ready to assist you in finding your perfect match.



Cambridge










Size: 1288 x 190 x 8mm
Surface Finish: Matt
Edge: Square





TRENDLINE LAMINATE

Inspired by world travels and exotic flora, Trendline offers a distinctive look for your interior. Characterised by contemporary wide boards and flush joints, its seamless appearance is stylish, economical, and effortlessly durable. It's a smart choice for the busy family lifestyle, combining budget and flair.















Flinders

COASTAL WATER RESISTANT LAMINATE

Welcome seaside chic and a laid-back ambience to your abode. Our Coastal range brings the essence of Australia's world renowned beaches indoors, perfect for calming and relaxed designs. Water resistant properties add to its strength and there are five colour options with one sure to complement your personal style.



Size: 1218 x 165 x 8mm
Surface Finish: Matt
Edge: Bevel




Seashell

AQUATIC WATER RESISTANT LAMINATE


Delve into the deep blue with colours in essence of coral and sea life. Combining refreshing good looks with the advantage of being water resistant, the Aquatic range has style covered wherever you are. In a fresh, wide-board format and available in five appealing tones, this hardy flooring solution makes cleaning up easy.



Size: 1218 x 194 x 8mm
Surface Finish: Matt
Edge: Bevel











EURO WIDE-BOARD WATER RESISTANT LAMINATE

Style and practicality come together with the advantage of European good looks. As one of the longest and widest boards in our catalogue, this savvy range is excellent at making a small space appear larger. Designed for high traffic and perfect for family life, it is an exceptionally durable choice that is water resistant, with colours to suit both modern and traditional interiors.







Size: 2260 x 236 x 10mm
Surface Finish: Matt
Edge: Bevel











Sand Greige Oak




Tasmanian Oak



Size: 2260 x 236 x 12mm
Surface Finish: Matt
Edge: Bevel





AUSTRALIANA WIDE-BOARD WATER RESISTANT LAMINATE

Embrace the classic nature of Australian native wood patterns, whilst favouring the latest in flooring technology. Produced in the widest and longest format in our catalogue, this smart solution creates and enhances the feeling of space while also highlighting the timber's beautiful warm tones. You can rely on this water resistant range that is both hard-wearing and easy-care.



FIRM PLANK HYBRID


Choose our hybrid vinyl range for the ultimate in functionality and style. Hybrid has a fashionable timber look and wide-board composition. This product is both waterproof and scratch-resistant. Boasting extra cushioning properties, it is luxuriously soft underfoot and extra quiet, making it perfect for high-traffic areas.



Size: 1220 x 228 x 6mm
Surface Finish: Matt
Edge: Square




Cayman










Lava

URBAN ENGINEERED TIMBER

Enjoy the beauty of natural timber while basking in great value. The ideal entry point for a timber floor, this discerning range comes in an appealing palette of earthy and natural tones, inviting refinement into any interior. Crafted in narrow boards that join together effortlessly, this style is sure to impress.









Size: 1900 x 138 x 14mm
Surface Finish: Satin
Edge: Micro Bevel



OAK CLASSIC ENGINEERED TIMBER

A time-honoured classic meets modern technology. Those who desire the beauty and sophistication of European Oak, but with a budget, will appreciate the excellent benefits of this innovative product. This engineered timber is high-performing so that staining and surface coating are not required at installation.







BORDEAUX



Size: 1830/2190 x 190 x 14mm
Surface Finish: Matt
Edge: Bevel



CHATEAU











Istanbul





Spotted Gum





Size: 1740/2190 x 136 x 13.5mm
Surface Finish: Satin
Edge: Square






AUSTRALIAN SPECIES ENGINEERED TIMBER

This beautiful Australian timber is engineered for today's busy lifestyle. A lush array of native timber flooring conceived and pre-coated to enhance its unique, subtle and charming features. A polished and smart solution allowing for quick and easy installation, with no staining, coating or protective layers required. Available in three classic colours.

VINTAGE ENGINEERED TIMBER


Delight in the bespoke charm of this stylishly sustainable range. Whether you are inspired by antiques or a mid-century modern look, this chic collection showcases the character of natural timber, celebrating its individual knots, veins and patterns. It's a modern, hard-wearing and quick option to install, with a stunning and entirely unique result every time.



Size: 1830/2190 x 190 x 14mm
Surface Finish: Matt
Edge: Bevel




Grey Ash



GREY ASH




NATURAL




SMOKE

MAJESTIC ENGINEERED TIMBER

Elegance and ease come together with this grand range of engineered flooring selections. An impeccable option for those who want a natural timber floor with an artisanal look but prefer the freedom of quick and seamless installation. Crafted in the widest and longest format of our engineered range, it is available in four contemporary finishes.



Size: 1830/2190 x 220 x 14mm
Surface Finish: Matt
Edge: Bevel









Cobalt



Tempo Premium in Single Herringbone, Smoked Grey

PTF Tempo Premium

THE PROCESS IS SEAMLESS

1

SELECT YOUR STYLE:

Australian Species Wide-Board.
French Oak Wide-Board or Parquetry.

2

SELECT YOUR COLOUR:

Choose from our six most popular colours or create your own bespoke colour.

Have your heart set on a particular colour or fallen in love for something from a magazine?

Our Tempo Custom Colour Studio is where our Lab Technician and qualified Design Consultants mix and match colours to find your perfect match.

3

SELECT YOUR FINISH:


Invisible, Matt or Semi-Gloss.

Spotted Gum





Size: 2190/1740 x 180 x 13.5mm
Surface finish: Invisible, Matt or Semi-Gloss
Edge: Square



AUSTRALIAN SPECIES WIDE-BOARD


TEMPO PREMIUM

Admire the brilliance and beauty of nature with this stunning collection of Australian native species. This deluxe range of engineered timber is crafted in a modern wide-board format, with a natural finish to amplify the timber's inherent appeal. This collection is akin to having a piece of art in your interior.


FRENCH OAK WIDE-BOARD

TEMPO PREMIUM

Luxury beckons with this stunning French oak, engineered timber with a clean line finish. Designed in a contemporary wide-board style in six beautiful colours, each panel of timber is as unique as nature intended. Our specially formulated finishing stains are tailored to enhance the natural beauty of the timber. For a personal bespoke finish, there is also the option to create your own look in the Tempo Custom Colour Studio.









Size: 1900 x 190 x 14mm
Surface Finish: Invisible, Matt or Semi-Gloss
Edge: Square













White

FRENCH OAK PARQUETRY

TEMPO PREMIUM

Elevate your interior's appeal with the spectacular craftsmanship of parquetry design. Formed with our luxurious French oak, this engineered timber flooring option makes a statement, instilling any interior with a sense of warmth and elegance. The end result is hand-laid in a selection of stunning patterns: traditional herringbone, double herringbone or chevron.





Double Herringbone 450, Smoked Oak

















SINGLE HERRINGBONE

Block Parquetry | 450 x 90 x 14mm | 710 x 125 x 14mm | Invisible (on natural only) Matt or Semi-Gloss | Direct Stick Installation



DOUBLE HERRINGBONE

Block Parquetry | 450 x 90 x 14mm | 710 x 125 x 14mm | Invisible (on natural only) Matt or Semi-Gloss | Direct Stick Installation



CHEVRON

Block Parquetry | 620 x 90 x14mm | Invisible (on natural only) Matt or Semi -Gloss | Direct Stick Installation

BOOK YOUR DESIGN APPOINTMENT TODAY.

5-7 Strong Avenue
Thomastown, VIC 3074









SHOWROOM EXPERIENCE

Helping our clients take their interior to the next level is one of our favourite things to do. From classic to modern, rustic or vintage, our extensive styles cater to everyone. For guidance on trends, colour, performance or the whole project, our Design Consultants love to help find your perfect match.

TRUSTED INSTALLATION

Excellent installation is vital to the performance and presentation of your perfect floor, and we take it seriously. At Perfect Timber Floors, we take great pride in adhering to industry best practice, including standards set by the Australian Timber Flooring Association, as well as learning and adapting global best practice to suit Australian needs.

Naturally, our products and services come with a full warranty program. Our expert installers use the comprehensive Perfect Timber Floors Installers Manual, which details our builders' expectations and specifications. It includes specialised adhesives and moisture barriers developed by Wakol, our European partners adept in the latest timber flooring technology.

PERFECT TIMBER FLOORS CERTIFIED PERFECT EVERY TIME

Lobo. WAKOL CONNECTED SYSTEMS



Tempo Premium in Chevron Parquetry, Natural with Semi-Gloss finish

THE INSTALLATION PROCESS

STAGE	COMPONENT	DESCRIPTION	FLOATING	DIRECT STICK	TEMPO PREMIUM
1	**Timber Selection**	Exclusive, private appointment with a PTF Design Consultant.	✓	✓	✓
2	**Estimation**	Computerised /m² estimations, using your job specific floor plans. All estimations guaranteed.	✓	✓	✓
3	**Pre-site Check**	Pre-installation site visit by experienced Quality Assurance Manager.	✓	✓	✓
4	**Slab Preparation**	Prepare substrate ready for timber installation, grind & fill where required.	✓	✓	✓
5	**Timber Delivery**	Timber delivered to installer & ready for installation.	✓	✓	✓
6	**Underlay Delivery**	Foam or Acoustic underlay provided to installer ready for timber installation.	✓	—	—
7	**Moisture Barrier**	Using one of Europe's most reputable brands – Wakol, moisture barrier applied.	—	✓	✓
8	**Adhesive**	Using one of Europe's most reputable brands – Wakol, adhesive applied.	—	✓	✓
9	**Timber Installation**	Accredited PTF timber installers lay floor. All workmanship guaranteed in accordance with the PTF Installation Manual.	✓	✓	—
10	**Timber Installation (Tempo Premium only)**	Accredited PTF timber installers lay raw timber, all workmanship comprehensively guaranteed.	—	—	✓
11	**Hardwood Quad Installation**	Timber quad installed, colour matched to the colour of the floor.	✓	—	—
12	**Trims Installation**	Aluminium or bronze trims installed at all junctions when meeting other flooring products, such as tiles or carpet.	✓	✓	✓
13	**Expansion Joint (Laminate Only)**	Please note: manufacturer's warranty states that expansion joints are to be installed for any continuous runs of laminate flooring greater than 9Lm for Rustic Laminate and 10Lm for Trendline Laminate.	✓	—	—
14	**Staining**	For Tempo Premium, 3x coats of Europe's reputable Loba stain/coating applied in chosen colour (if selected).	—	—	✓
15	**Sand & Coat**	For Tempo Premium, sand and coat raw timber.	—	—	✓
16	**PTF Warning Sign**	PTF Warning Sign left after installation to inform other trades or visitors to take care on newly laid floor, to avoid damage.	✓	✓	✓
17	**Complimentary Cleaning Kit**	Complimentary Loba Cleaning Kit provided, including details on how to correctly maintain your timber floor (RRP $86).	✓	✓	✓


INSTALLATION TYPES

We are committed to first-class installation results and use three innovative installation systems: floating, direct stick with caulking, and Tempo Premium clean-line.

FLOATING


The installation type available for laminate, hybrid and pre-finished engineered floors.

Rustic 9Lm and Trendline 10Lm laminates require expansion joints.
Firm Plank Hybrid requires 1mm EVA high density foam underlay.




STANDARD INCLUSION

a. Substrate
b. Substrate Preparation - where required
c. Plastic Moisture Barrier
d. Blue: 2mm PE underlay with .1mm PE Film (plastic moisture barrier)
e. Floorboards
f. Timber Quad
g. Skirting Boards (already installed)



VALUE UPGRADE

a. Substrate
b. Substrate Preparation - where required
c. Plastic Moisture Barrier
d. Black: 2mm PE Medium density Acoustic underlay with .2mm PE Film (plastic moisture barrier)
e. Floorboards
f. Timber Quad
g. Skirting Boards (already installed)



PREMIUM UPGRADE

a. Substrate
b. Substrate Preparation - where required
c. Plastic Moisture Barrier
d. Rubber: 2mm High Density Rubber Acoustic underlay
e. Floorboards
f. Timber Quad
g. Skirting Boards (already installed)


DIRECT STICK

This installation type is available for:

- Urban
- Oak Classic
- Vintage
- Majestic
- Tempo Premium


Why choose direct stick?:

- Clean-line look, without expansion joints or a timber quad
- Solid underfoot feel
- Seamless finish




PRE-FINISHED ENGINEERED TIMBER RANGES

a. Substrate
b. Grind - where required
c. Moisture Barrier/Primer - 100% substrate coverage
d. Leveling Compound - spot fill where required
e. Full Trowel Glue
f. Timber floor laid
g. Caulking*
h. Skirting Boards (already installed)



TEMPO PREMIUM WIDE-BOARDS

a. Substrate
b. Grind - where required
c. Moisture Barrier/Primer - 100% substrate coverage
d. Leveling Compound - spot fill where required
e. Full Trowel Glue
f. Timber floor laid
g. Caulking*
h. Skirting Boards installed by builder



TEMPO PREMIUM PARQUETRY

a. Substrate
b. Grind - where required
c. Moisture Barrier/Primer - 100% substrate coverage
d. Leveling Compound - spot fill where required
e. Full Trowel Glue
f. Timber floor laid
g. Caulking*
h. Skirting Boards installed by builder

*Caulking completed by Builder or PTF

ACOUSTIC UNDERLAY FOR FLOATING FLOORS

Acoustic underlay is cleverly designed to reduce sound transfer from concrete slabs to floating floors, whilst adding extra protection against moisture. The underlay you choose helps your floor function, sound and *feel* better.

PROVIDES UNDERFOOT COMFORT

EXCELLENT ACOUSTIC PERFORMANCE

MOISTURE RESISTANT BARRIER





BLUE UNDERLAY STANDARD INCLUSION

Ln Tw Rating: **ACOUSTIC 60**

Thickness: 2mm Poly Ethylene + .1mm PE Film (plastic moisture barrier)

Timber flooring acoustic underlay is designed to reduce sound transfer from concrete slabs to floating floors, while providing a moisture resistant barrier.





PREMIUM PTF BLACK LABEL

VALUE FOR MONEY

Ln Tw Rating: **ACOUSTIC 42**

Thickness: 2mm Medium Density Poly Ethylene + .1mm PE Film (plastic moisture barrier)

With over 30% better acoustic properties than Blue, PTF Black Label acoustic underlay is designed to reduce sound transfer from concrete slabs to floating floors, while providing a moisture resistant barrier.





RUBBER UNDERLAY

Ln Tw Rating: **ACOUSTIC 35**

Thickness: 2mm High Density Rubber Acoustic underlay

Rubber underlay provides almost 50% better acoustic properties than Blue, whilst still providing a moisture resistant barrier. The most effective for reducing sound transfer, its superior performance makes it well suited to multi-level homes.



CARING FOR YOUR FLOOR

Once your new timber floor is installed and looking perfect, it is important to care for your floors to keep them looking great for longer. We've created this handy guide to highlight the key steps that will help you care for your new floors and make them last.

For any other questions you have, our passionate team is always available to answer them and offer our knowledge and guidance on how to care for your superior floor. Visit our showroom or contact us.



ENTRANCES

Place floor mats at entrances and remember to keep them well shaken. This decreases the number of dust and dirt particles coming inside your house. Avoid stiletto shoes where possible also.



SWEEPING

Regularly clean your floors to remove damaging dust and dirt particles. We recommend vacuuming with a hard floor head, or sweeping your floors with a fringe or anti-static mop.



MOPPING

Regularly wash sealed floors to enhance their appearance and protect them. Don't steam mop or wet mop the floor, instead use a soft mop head that you can remove excess water from so that it is mildly wet. Don't pour water directly onto the floor.



CLEANING PRODUCTS

We recommend Loba cleaning products, which offer a PH neutral, concentrated, biodegradable and pleasantly scented cleaner that is specifically formulated to gently but effectively clean coated timber floors. Harsh soap or detergents are not advised and may void your warranty. Also, don't use ammonia-based cleaners or methylated spirits.



SPILLS

Allowing liquid or water to sit for extended periods of time may damage your floor. Therefore, wipe up spills immediately, even if the spill is water. Don't use abrasive sponges or steel wool. Place non-slip mats in wet areas, such as kitchen sinks, for additional safety and floor protection.



STAINS

Remove stains immediately with a well-wrung cloth and ensure all moisture is cleaned up after doing so. Avoid abrasive sponges or steel wool.



PROTECTIVE PADS

Attach felt protector pads to the base of chairs, tables and other furniture to protect the floor from being scratched and reduce noise. Choose neutral-coloured protectors; dark or bright colours may cause discolouration.



FURNITURE


Take care when moving furniture. Be sure to lift and place furniture rather than dragging or pushing it. This is in addition to the recommendation of protective pads.



RE-COATING

Your timber floors should never be waxed. To restore shine to these surfaces, you'll need to have them re-coated. The frequency is different for everyone as it is based on how much foot traffic your floors see.

BOARD SIZING



* Sizing as available on day of installation. Please note - customers do not get a choice in size.

GLOSSARY

PRE-FINISHED ENGINEERED TIMBER

Engineered timber embodies all the natural beauty and characteristics of real timber. They consist of multiple layers bonded together and covered with a sheet of solid wood, creating the appearance of hardwood floors but with superior structural integrity and stability. Pre-finished timber floors come treated, coated & sealed with 7 layers of UV acrylic coating, making them easy to install and replace.

DIRECT STICK INSTALLATION NO QUAD

'Direct stick' is a tried and tested method for installing select timber floors. The process alleviates the need for a timber quad to be added around the edges of the room, creating a clean line finish and providing a more solid feeling.

EXPANSION JOINT 9LM

For continuous runs of flooring of over 9Lm (laminate only) an expansion trim (also called expansion joint) is required. This allows the laminate floor to expand and contract as one without popping, lipping and/or lifting from the concrete substrate.

SAND & COAT

Tempo Premium only:
Once installed, the timber floor receives a light sand before it is stained (if required) and coated.

FLOATING INSTALLATION WITH QUAD

'Floating' installation is when floors are fitted over a moisture resistant underlay, usually through interlocking technology, and the floor floats as one. This allows it to expand and contract with the environment and requires a timber quad around the perimeter to cover the 10mm expansion gap.

WATER RESISTANT

Water resistant technology provides a surface barrier against moisture and everyday spills. Instead of penetrating your boards, the water beads on the surface, better protecting your floor. Our Water Resistant Laminates do not require an expansion trim (also called expansion joint).




Vintage, Natural

PERFECT TIMBER FLOORS®

5-7 Strong Avenue
Thomastown, VIC 3074

1300 137 055
www.ptf.com.au

Colours shown are as close as possible to actual colours and finishes can vary depending on the application. Due to limitations of your display screen and the printing process, photographic and printed images and swatches may not represent the true colour. Refer to actual samples for exact colour and finish.


www.ptf.com.au